

HOMEOPATHIC MEDICINAL PRODUCT WORKING GROUP
(HMPWG)

**CONSOLIDATED LIST OF STOCKS FOR WHICH
HOMEOPATHIC USE IS JUSTIFIED**

DISCUSSION IN THE HMPWG	14 April 2016
ADOPTION by written procedure	3 June 2016
TRANSMISSION TO HMA for publication	13 June 2016

<u>Name of the stock</u>	<u>Pharmacopoeia for detailed definition of raw material</u>	<u>Definition of the raw material</u>	<u>Number of the list</u>
Acidum aceticum / Aceticum acidum	Ph. Eur. 0590 (GHP/FP)	Acetic acid, glacial C ₂ H ₄ O ₂	3
Acidum arsenicosum, Arsenicum album / Arsenicum album	Ph. Eur. 1599 (GHP)	Arsenious trioxide As ₂ O ₃	1
Acidum hydrochloricum / Muriaticum acidum, Hydrochloridum acidum, Chlorhydricum acidum	Ph. Eur. 0003 (GHP)/ Ph. Eur. 0002 (FP)	Hydrochloric acid HCl	3
Acidum hydrofluoricum / Fluoricum acidum	GHP/FP	Hydrofluoric acid HF	2
Acidum nitricum / Nitricum acidum	Ph. Eur. 1549 (GHP/FP)	Nitric acid HNO ₃	1
Acidum oxalicum / Oxalicum acidum	GHP/FP	Oxalic acid C ₂ H ₂ O ₄ ·2H ₂ O	3
Acidum phosphoricum / Phosphoricum acidum	Ph. Eur. 0005 (GHP)/ Ph. Eur. 0004 (FP)	Phosphoric acid (diluted or concentrated) H ₃ PO ₄	2
Acidum picricum / Picricum acidum	Ph. Eur. 2695 (GHP/FP)	Picric acid C ₆ H ₃ N ₃ O ₇	3
Acidum salicylicum, Salicylic acid	Ph. Eur. 0366 (GHP)	Salicylic acid C ₇ H ₆ O ₃	3
Acidum sulfuricum / Sulfuricum acidum	Ph. Eur. 1572 (GHP/FP)	Sulfuric acid H ₂ SO ₄	3
Aconitum napellus, Aconitum / Aconitum napellus, Aconitum	GHP/FP	Fresh whole plants of Aconitum napellus L., collected at the start of flowering / Whole fresh flowering plant of Aconitum napellus	1
Allium cepa, Cepa / Allium cepa	GHP/FP	Fresh bulbs of Allium cepa L. (roots are removed) / Fresh bulb without root of Allium cepa L.	2
Aloe / Aloe	Ph. Eur.0258 (GHP/FP)	Concentrated and dried juice of the leaves of various species of <i>Aloe</i> , mainly <i>Aloe ferox</i> Miller and its hybrids	2
Aluminium oxydatum, Alumina / Alumina, Aluminium oxidatum	GHP/FP	Aluminium oxyde Al ₂ O ₃	2, 3
Aluminium-kalium-sulfuricum, Alumen	Ph. Eur. 0006 (GHP)	Alum AlK(SO ₄) ₂ ·12H ₂ O	3
Ambra grisea, Ambra / Ambra grisea	GHP/FP	Masses from the intestines of <i>Physeter macrocephalus</i> L. / Dried masses originated from intestines of <i>Physeter macrocephalus</i> L.	2
Ammonium carbonicum	Ph. Eur. 2916 (GHP/FP)	Mixture of varying proportions of ammonium carbonate [(NH ₄) ₂ HCO ₃], ammonium hydrogen carbonate (NH ₄ HCO ₃) and ammonium carbamate (NH ₂ COONH ₄)	3
Ammonium chloratum / Ammonium muriaticum	Ph. Eur. 0007 (GHP/FP)	Ammonium chloride NH ₄ Cl	3

<u>Name of the stock</u>	<u>Pharmacopoeia for detailed definition of raw material</u>	<u>Definition of the raw material</u>	<u>Number of the list</u>
Anamirta cocculus, Cocculus / Cocculus indicus	Ph. Eur.2486 (GHP)	Dried, ripe fruit of Anamirta cocculus L. Wight & Arn. (syn. A. paniculata Colebr.)	1
Apis mellifica, Apis / Apis	Ph. Eur. 2024 (GHP)	Live worker honey bee (Apis mellifera L.)	1
Argentum metallicum / Argentum metallicum	GHP/FP	Metallic silver Ag	2
Argentum nitricum / Argentum nitricum	Ph. Eur. 0009 (GHP/FP)	Silver nitrate AgNO ₃	1, 3
Arnica montana ex planta tota / Arnica montana	GHP/FP	Whole fresh flowering plants of Arnica montana L. / Whole fresh blooming plant of Arnica montana L.	1
Arsenum iodatum, Arsenum iodatum / Arsenicum iodatum	GHP/FP	Arsenic (III) iodide AsI ₃	3
Atropa bella-donna, Belladonna / Belladonna	Ph. Eur. 2489 (GHP)	Whole fresh plants of Atropa belladonna L., harvested at the end of flowering, with the ligneous base of the stems removed	1
Aurum metallicum / Aurum metallicum	GHP/FP	Gold powder Au	3
Barium carbonicum / Baryta carbonica	GHP/FP	Barium carbonate BaCO ₃	2
Barium chloratum / Baryta muriatica	Ph. Eur. 2142 (GHP/FP)	Barium chloride dihydrate BaCl ₂ ·2H ₂ O	3
Bismutum subnitricum / Bismuthum, Bismuthum sub-nitricum	Ph. Eur. 1494 (GHP/FP)	Heavy bismuth subnitrate 4[BiNO ₃ (OH) ₂],BiO(OH)	3
Bromum	GHP	Bromine Br ₂	3
Cadmium sulfuricum	Ph. Eur. 2143 (GHP)	Cadmium sulfate hydrate CdSO ₄ ·8/3H ₂ O	2, 3
Calcium carbonicum Hahnemanni, Conchae / Calcareea carbonica ostrearum	GHP/FP	Inner parts of broken shells of the oyster Ostrea edulis L. / Limestone extracted from the subjacent layer of the shell of Crasostrea angulata Lamk. or Crasostrea gigas Lamk. or Ostrea edulis L., after elimination of bright calcite.	1
Calcium fluoratum / Calcareea fluorica	GHP/FP	Calcium fluoride Ca F ₂	1
Calcium sulfuricum / Calcareea sulfurica	Ph. Eur. 0982 (GHP/ FP)	Calcium sulfate dihydrate CaSO ₄ ·2H ₂ O	2
Camphora /Camphora	Ph. Eur. 1400 (GHP/FP)	D-Camphor C ₁₀ H ₁₆ O	3
Capsicum annuum, Capsicum / Capsicum annuum,	GHP/FP	Dried ripe fruits of Capsicum annuum L.	2
Carbo animalis	GHP	Animal charcoal of bark-tanned cowhide heated to luminescence in a coal fire and then immediately quenched. Other forms of animal charcoal (e.g. from bone) must not be used	3
Carbo vegetabilis / Carbo vegetabilis	GHP/FP	Well carbonized charcoal obtained from beech or birch wood / Carbonisation of plants	1

<u>Name of the stock</u>	<u>Pharmacopoeia for detailed definition of raw material</u>	<u>Definition of the raw material</u>	<u>Number of the list</u>
Causticum Hahnemanni / Causticum	GHP/FP	Mixture prepared according to the method described below. Heat 4 parts of "potassium hydrogen sulfate R" grade potassium hydrogen sulfate to a melt. Cool, then grind the solid mass to a powder and dissolve the powder in 4 parts of boiling purified water. Transfer the solution to a heated porcelain dish and stir with 4 parts of Calcium hydroxide (Ph. Eur.) to obtain a thick slurry. Transfer the mixture to a distillation apparatus and distil slowly to dryness. Mix the distillate with an equal volume of ethanol (86 per cent m/m). / Specific homeopathic mixture prepared to the method described below. To 140 g of calcium oxide R in a mortar (in glass) , add carefully 45 mL of water. Allow to stand for 30 min. Add 180 g of first powdered melted potassium hydrogen sulfate. Grind the mixture. A large heat is evolved. To the mixture add 180mL of water R. Boil under a reflux condenser. The most distillate is obtained between 120°C and 150°C. The distillation is stopped around 200 °C. 150 mL of Causticum is obtained.	2
Chininum arsenicosum	GHP	Mixture of quinine (89.0-92.6 %) and arsenious trioxyde (9.0-9.4 %)	3
Chininum sulfuricum / Chininum sulfuricum	Ph. Eur. 0019 (GHP/FP)	Quinine sulfate $C_{40}H_{50}N_4O_8S \cdot 2H_2O$	2
Cinchona pubescens, China / China rubra, China, Cinchona succirubra, Quinquina	GHP/Ph. Eur. 0174 (FP)	Dried bark of young trunks and older twigs of Cinchona pubescens Vahl (Cinchona succirubra Pav. ex Klotzsch) and its varieties or hybrids / Whole or cut dried bark of Cinchona pubescens Vahl (Cinchona succirubra Pav.), of Cinchona calisaya Wedd., of Cinchona ledgeriana Moens ex trimen, or of their varieties or hybrids.	1
Citrullus colocynthis, Colocynthis / Colocynthis	GHP/FP	Dried, peeled, deseeded fruits of Citrullus colocynthis (L.) Schrad. or pieces thereof / Dried cut pulp of deseeded fruit of Citrullus colocynthis (L.)	1
Clematis recta, Clematis / Clematis erecta	GHP/FP	Fresh areal parts of Clematis recta L., collected at flowering time / Fresh, young, flowering, leafy branch of Clematis recta L.	2
Colchicum autumnale, Colchicum / Colchicum autumnale	GHP/FP	Fresh corms of Colchicum autumnale L. collected during spring / Fresh bulb of Colchicum autumnale L.	2
Conium maculatum, Conium / Conium maculatum, Conium	GHP/FP	Fresh, aerial parts of flowering, but not yet fruiting specimens of Conium maculatum L. / Fresh flowering aerial parts of Conium maculatum L., harvested at the end of the blooming season.	1

<u>Name of the stock</u>	<u>Pharmacopoeia for detailed definition of raw material</u>	<u>Definition of the raw material</u>	<u>Number of the list</u>
Croton tiglium / Croton tiglium	GHP/FP	Dried ripe seeds of Croton tiglium L. / Dried seed of Croton tiglium L. (Tiglium officinale Klotsch)	2
Cuprum aceticum	Ph. Eur. 2146 (GHP)	Copper acetate monohydrate $\text{Cu}(\text{C}_2\text{H}_3\text{O}_2)_2 \cdot \text{H}_2\text{O}$	3
Cuprum arsenicosum	GHP	Precipitated copper subarsenite	3
Cuprum metallicum, Cuprum	Ph. Eur. 1610 (GHP)	Copper Cu	3
Daphne mezereum, Mezereum / Mezereum	GHP/FP	Fresh bark from the branches of Daphne mezereum L., collected prior to flowering / Bark of fresh stem of Daphne mezereum L.	2
Datura stramonium, Stramonium / Stramonium	GHP/FP	Fresh areal parts of Datura stramonium L., collected at flowering time / Fresh aerial parts of Datura stramonium L. (D. tatula L.), collected during the flowering period	2
Eupatorium perfoliatum / Eupatorium perfoliatum	GHP/FP	Fresh aerial parts of Eupatorium perfoliatum L., collected at the start of flowering / Fresh, flowering aerial parts of Eupatorium perfoliatum L., harvested at the beginning of the blooming season	2
Euspongia officinalis, Spongia / Spongia tosta	GHP/FP	Toasted marine sponge Euspongia officinalis L. / Roasted skeleton of animals of genus Euspongia	2
Ferrum metallicum	Ph. Eur. 2026	Iron Fe	3
Formica rufa, Formica / Formica rufa	GHP/FP	Live workers of Formica rufa L. / Whole, live, insect of Formica rufa L.	2
Graphites / Graphites	GHP/FP	Naturally occurring mineral graphite / Pulverized mineral graphite	1
Guajacum, Guaiacum / Guaiacum	GHP/FP	Resin melted from the heart wood of Guajacum officinale L. or Guajacum sanctum L. / Dried resin of Guajacum officinale L. or Guajacum sanctum L. obtained by exudation from perforated tree trunk exposed to heat	2
Hepar sulfuris, Hepar sulfuris calcareum / Hepar sulfur	GHP	Substance obtained by calcining a mixture of Calcium carbonicum Hahnemanni and Sulfur	1
Hydrargyrum bichloratum, Mercurius sublimatus corrosives / Mercurius corrosivus, Corrosivus	Ph. Eur. 0120 (GHP/FP)	Mercuric chloride HgCl_2	2
Hydrargyrum biiodatum, Mercurius bijodatus / Mercurius biiodatus, Mercurius iodatus ruber	GHP/FP	Mercury(II) iodide HgI_2	3
Hydrargyrum sulfuratum rubrum, Cinnabaris/ Cinnabaris, Mercurius sulfuratus ruber	GHP/FP	Red mercury sulfide HgS	3
Hydrastis canadensis, Hydrastis / Hydrastis canadensis	Ph. Eur. 2500 (GHP)	Whole or cut dried rhizome and root of Hydrastis canadensis L.	1

<u>Name of the stock</u>	<u>Pharmacopoeia for detailed definition of raw material</u>	<u>Definition of the raw material</u>	<u>Number of the list</u>
Hypericum perforatum, Hypericum / Hypericum perforatum	Ph. Eur. 2028 (GHP)	Whole, fresh plants of Hypericum perforatum L.	1
Iodum, Jodum / Iodum	Ph. Eur. 0031 (GHP/FP)	Iodine I ₂	2
Iris versicolor, Iris / Iris versicolor	GHP/FP	Fresh underground parts of Iris versicolor L. / Fresh, whole or fragmented underground part of Iris versicolor L, harvested during flowering time	2
Juglans regia	FP	Mixture of equal quantities of leaf and pericarp from the fresh, green fruit of Juglans regia L.	2
Kalium arsenicosum	FP	KAsO ₂	3
Kalium bichromicum / Kalium bichromicum	Ph. Eur. 2501 (GHP)	Potassium dichromate K ₂ Cr ₂ O ₇	1
Kalium bromatum / Kalium bromatum	Ph. Eur. 0184 (GHP/FP)	Potassium bromide KBr	2
Kalium carbonicum / Kalium carbonicum	Ph. Eur.1557 (GHP/FP)	Potassium carbonate K ₂ CO ₃	2
Kalium chloratum / Kalium muriaticum	Ph. Eur. 0185 (GHP/FP)	Potassium chloride KCl	3
Kalium iodatum, Kalium jodatum / Kalium iodatum	Ph. Eur. 0186 (GHP/FP)	Potassium iodide KI	1
Kalium nitricum / Kalium nitricum	Ph. Eur. 1465 (GHP/FP)	Potassium Nitrate KNO ₃	3
Kalium stibyltartaricum, Tartarus stibiatus / Antimonium tartaricum, Emeticus, Tartarus emeticus	GHP/FP	Potassium di-μ-tartratobis[antimonate(III)] trihydrate C ₈ H ₄ K ₂ O ₁₂ Sb ₂ ·3H ₂ O	3
Kalium sulfuricum / Kalium sulfuricum	Ph. Eur. 1622 (GHP/FP)	Potassium sulfate K ₂ SO ₄	2
Kreosotum	GHP	Mixture of guaiacol, creosol and cresols obtained by distillation of beech tar	3
Lachesis	GHP	Gently dried venom of Lachesis melano-cephala Solorzano and Cerdas, Lachesis stenophrys Cope or Lachesis muta (L.)	1
Lachesis mutus	FP	Dried venom of Lachesis muta L.	1
Lithium carbonicum / Lithium carbonicum	Ph. Eur. 0228 (GHP/FP)	Lithium carbonate Li ₂ CO ₃	2
Lycopodium clavatum, Lycopodium / Lycopodium clavatum, Clavatum	GHP/FP	Dried ripe spores of Lycopodium clavatum L.	1
Lytta vesicatoria, Cantharis	GHP	Spanish flies (Lytta vesicatoria L.), as far as possible intact specimens, sacrificed and dried at a temperature not exceeding 40°C.	1
Magnesium carbonicum (Magnesium carbonate, heavy) / Magnesia carbonica (Magnesium carbonate, light)	Ph. Eur.0043 (GHP) / Ph. Eur.0042 (FP)	Hydrated basic magnesium carbonate	2

<u>Name of the stock</u>	<u>Pharmacopoeia for detailed definition of raw material</u>	<u>Definition of the raw material</u>	<u>Number of the list</u>
Magnesium chloratum / Magnesia muriatica, Magnesii chloridum	Ph. Eur. 0402 (GHP/FP)	Magnesium chloride hexahydrate $\text{MgCl}_2 \cdot 6\text{H}_2\text{O}$	2
Magnesium phosphoricum / Magnesia phosphorica	Ph. Eur. 2505 (GHP)	Magnesium hydrogen phosphate trihydrate $\text{MgHPO}_4 \cdot 3\text{H}_2\text{O}$	1
Matricaria recutita, Chamomilla, Chamomilla recutita / Chamomilla vulgaris, Chamomilla, Matricaria chamomilla, Matricaria recutita	GHP/FP	Whole fresh flowering plants of Matricaria recutita (L.) / Whole fresh blooming plants of Chamomilla recutita (L.) Rauschert (Matricaria recutita L., M. chamomilla L.)	1
Mercurius solubilis Hahnemanni / Mercurius solubilis hahnemanni	GHP/FP	Mixture of mainly mercury (II) amidonitrate and metallic mercury / Mixture of $(\text{NO}_3 [\text{Hg}(\text{NH}_2), \text{H}_2\text{O}])$ and Hg	3
Natrium carbonicum / Natrum carbonicum	Ph. Eur. 0192 (GHP/FP)	Sodium carbonate monohydrate $\text{Na}_2\text{CO}_3 \cdot \text{H}_2\text{O}$	2
Natrium phosphoricum / Natrum phosphoricum	Ph. Eur. 0118 (GHP/FP)	Disodium phosphate dodecahydrate $\text{Na}_2\text{HPO}_4 \cdot 12\text{H}_2\text{O}$	2
Natrium sulfuricum / Natrum sulfuricum	Ph. Eur. 0099 (GHP/FP)	Sodium sulfate, anhydrous Na_2SO_4	2
Natrium tetraboracium, Borax / Borax, Natrum boricum	Ph. Eur. 0013 (GHP/FP)	Disodium tetraborate decahydrate $\text{Na}_2\text{B}_4\text{O}_7 \cdot 10\text{H}_2\text{O}$	3
Natrium tetrachloroauratum, Aurum chloratum natronatum / Aurum muriaticum natronatum	Ph. Eur. 2141 (GHP)	Sodium tetrachloroaurate(1-) dihydrate $\text{Na}[\text{AuCl}_4] \cdot 2\text{H}_2\text{O}$	2
Nitroglycerinum, Glonoinum/ Glonoinum, Trinitrinum	GHP/FP	Solution of glycerol trinitrate in Ethanol (96 per cent V/V / 90 per cent V/V) $\text{C}_3\text{H}_5\text{N}_3\text{O}_9$	2
Phosphorus	GHP	White phosphorus P	1
Platinum metallicum	GHP	Metallic platinum in the form of platinum black Pt	3
Plumbum metallicum	GHP	Lead Pb	3
Prunus laurocerasus, Laurocerasus / Laurocerasus, Prunus laurocerasus	GHP/FP	Fresh leaves of Prunus laurocerasus L. / Fresh leaf of Prunus lauro-cerasus L.	2
Psychotria ipecacuanha, Cephaelis ipecacuanha, Ipecacuanha / Ipéca	GHP/Ph. Eur. 0094 (FP)	Dried underground organs of Psychotria ipecacuanha (Brot.) Stokes / Fragmented and dried underground organs of Carapichea ipecacuanha (Brot.) L. Andersson (syn. Cephaëlis ipecacuanha (Brot.) A. Rich.; Cephaëlis acuminata H. Karst.) from Mato Grosso or Costa Rica.	1
Ranunculus bulbosus / Ranunculus bulbosus	GHP/FP	Whole fresh flowering plants of Ranunculus bulbosus L. / Whole fresh flowering plant of Ranunculus bulbosus L.	2
Reserpinum	Ph. Eur. 0528	Reserpine $\text{C}_{33}\text{H}_{40}\text{N}_2\text{O}_9$	2

<u>Name of the stock</u>	<u>Pharmacopoeia for detailed definition of raw material</u>	<u>Definition of the raw material</u>	<u>Number of the list</u>
Rheum / Rheum	Ph. Eur. 0291 (GHP/FP)	Rhubarb consists of the whole or cut, dried underground parts of Rheum palmatum L. or of Rheum officinale Baillon or of hybrids of these two species or of a mixture. The underground parts are often divided; the stem and most of the bark with the rootlets are removed.	2
Ruta graveolens, Ruta / Ruta graveolens	GHP/FP	Fresh areal parts of Ruta graveolens L., collected at the start of flowering / Fresh aerial part of Ruta graveolens L., harvested before the beginning of flowering, with the ligneous base of the stems removed	2
Sanguinaria canadensis, Sanguinaria / Sanguinaria canadensis	GHP/FP	Dried underground parts of Sanguinaria canadensis L., collected in autumn / Dried, underground part of Sanguinaria canadensis L.	2
Secale cornutum	GHP	Sclerotium of Claviceps purpurea (Fries) Tulasne, grown on rye plants (Secale cereale L.) and dried at a temperature not exceeding 40°C.	1
Selenium	GHP	Amorphous selenium Se	3
Sepia officinalis, Sepia / Sepia officinalis	GHP/FP	Dried secretion from the ink gland of Sepia officinalis L / Dried ink gland of sepia officinalis L.	1
Silybum marianum, Carduus marianus / Carduus marianus, Silybum marianum	Ph. Eur. 1860 (GHP/FP)	Mature fruit, devoid of the pappus, of Silybum marianum L. Gaertner	1
Silicea	Ph. Eur. 0434 (FP)	Silica, colloidal anhydrous SiO ₂ (ignited substance)	2
Stannum metallicum	GHP	Metallic tin Sn	3
Stibium sulfuratum nigrum / Antimonium crudum, Antimonium sulfuratum nigrum, Stibium sulfuratum nigrum	GHP/FP	Antimony(III) sulfide Sb ₂ S ₃	1
Strontium carbonicum	GHP	Strontium Carbonate SrCO ₃	3
Strychnos ignatii, Ignatia/ Ignatia amara	Ph. Eur. 2513 (GHP)	Dried, ripe seeds of Strychnos ignatii P.J. Bergius	1
Strychnos nux vomica, Nux vomica / Nux-vomica	Ph. Eur. 2514 (GHP)	Dried, ripe seeds of Strychnos nux-vomica L.	1
Sulfur / Sulfur	Ph. Eur. 2515 (GHP)	Sulfur obtained by sublimation S	1
Sulfur iodatum, Sulfur jodatum / Sulfur iodatum, Flavum iodatum	GHP/FP	Mixture of 4 parts of iodine and 1 part of sulfur	3
Taraxacum officinale, Taraxacum / Taraxacum dens leonis	GHP/FP	Whole fresh flowering plants of Taraxacum officinale Wiggers / Whole fresh flowering plant of Taraxacum officinale Weber	2
Vitex agnus-castus, Agnus castus / Agnus castus	Ph. Eur. 2147 (GHP) / FP	Whole, ripe, dried fruit of Vitex agnus-castus L.	2
Zincum metallicum / Zincum metallicum	GHP/FP	Metallic zinc Zn	2